



### ROUND ELECTRIC WELDED TUBING



### SPECIFICATIONS

ASTM A135  
ASTM A178 Grd A  
ASTM A214  
ASTM A500 Grd B  
ASTM A513  
AWWA C200

### SURFACE CONDITIONS

Cold Rolled  
Hot Rolled Pickled & Oiled  
Hot Rolled  
Galvanized  
Aluminized  
KleenKote®

### GRADES


1008  
1010  
1015  
1020

### END FINISHES

Square Cut  
Punch Cut  
Roller Grooved  
Chamfered  
Saw Cut

### SPECIAL FEATURES

High strength to 50,000 yield  
Aluminum killed drawing quality  
Flash controlled as required





# Tubular Steel Inc.

## ROUND ELECTRIC WELDED TUBING

ROUND ELECTRIC WELDED TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.
5/16"	.035"	0.104	3/4" (cont.)	.109"	0.746
	.049"	0.138		.120"	0.807
	.065"	0.171		.134"	0.882
3/8"	.035"	0.127	13/16"	.035"	0.290
	.042"	0.149		.065"	0.519
	.049"	0.171		.083"	0.646
	.065"	0.215		.095"	0.727
.405" (1/8" Pipe Size)	.035"	0.139	.840" (1/2" Pipe Size)	.120"	0.887
	.065"	0.237		.065"	0.538
7/16"	.035"	0.151	7/8"	.083"	0.671
	.049"	0.204		.095"	0.756
	.058"	0.235		.109"	0.851
	.065"	0.259		.035"	0.314
1/2"	.035"	0.174	.922"	.049"	0.432
	.042"	0.205		.065"	0.562
	.049"	0.236		.072"	0.617
	.058"	0.274		.083"	0.702
	.065"	0.302		.095"	0.791
	.072"	0.329		.109"	0.892
	.083"	0.370		.120"	0.968
	.083"	0.370		.134"	1.060
.540" (1/4" Pipe Size)	.042"	0.223	15/16"	.035"	0.337
	.035"	0.197		.065"	0.605
5/8"	.065"	0.346	.995"	.083"	0.757
	.035"	0.221		.095"	0.854
	.042"	0.262		.065"	0.646
	.049"	0.301		.083"	0.808
	.065"	0.389		.095"	0.913
	.072"	0.425		.109"	1.031
	.083"	0.480		.120"	1.121
	.095"	0.538		.035"	0.361
11/16"	.035"	0.244	1"	.042"	0.430
	.049"	0.334		.049"	0.498
	.065"	0.432		.065"	0.649
	.083"	0.536		.072"	0.714
.706"	.042"	0.298	3/4"	.083"	0.813
	.035"	0.267		.095"	0.918
3/4"	.049"	0.367		.109"	1.037
	.065"	0.476		.120"	1.128
	.072"	0.521			
	.083"	0.591			
	.095"	0.665			



### ROUND ELECTRIC WELDED TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.
1" (cont.)	.134"	1.239	1 <sup>5</sup> / <sub>16</sub> " (cont.)	.120"	1.528
	.148"	1.347		.134"	1.686
1.050" ( <sup>3</sup> / <sub>4</sub> " Pipe Size)	.083"	0.857	1.315" (1" Pipe Size)	.065"	0.868
	.095"	0.969		.083"	1.092
	.109"	1.095		.109"	1.404
	.120"	1.192		.120"	1.532
1 <sup>1</sup> / <sub>16</sub> "	.035"	0.384	1 <sup>3</sup> / <sub>8</sub> "	.049"	0.694
	.049"	0.530		.065"	0.909
	.065"	0.692		.083"	1.145
	.072"	0.761		.095"	1.299
	.083"	0.868		.109"	1.474
1 <sup>1</sup> / <sub>8</sub> "	.109"	1.109	.120"	1.608	
	.028"	0.328	.134"	1.776	
	.035"	0.407	.148"	1.939	
	.042"	0.486	1 <sup>7</sup> / <sub>16</sub> "	.065"	0.953
	.049"	0.563		.083"	1.200
	.065"	0.736		.120"	1.688
	.083"	0.924	.134"	1.865	
	.095"	1.045	1 <sup>1</sup> / <sub>2</sub> "	.035"	0.548
	.109"	1.183		.042"	0.654
	.120"	1.288		.049"	0.759
.134"	1.418	.065"	0.996		
1.163"	.065"	0.762	.083"	1.256	
1 <sup>3</sup> / <sub>16</sub> "	.049"	0.596	.095"	1.426	
	.065"	0.780	.109"	1.619	
	.109"	1.256	.120"	1.769	
1.245"	.120"	1.448	.134"	1.955	
1 <sup>1</sup> / <sub>4</sub> "	.035"	0.454	.148"	2.137	
	.049"	0.629	.156"	2.239	
	.065"	0.823	.188"	2.634	
	.072"	0.906	1 <sup>9</sup> / <sub>16</sub> "	.065"	1.039
	.083"	1.034		.083"	1.311
	.095"	1.172		.095"	1.488
	.109"	1.328	.120"	1.849	
	.120"	1.448	1 <sup>5</sup> / <sub>8</sub> "	.035"	0.594
	.134"	1.597		.049"	0.825
	.148"	1.742		.065"	1.083
	.065"	0.866		.072"	1.194
	1 <sup>5</sup> / <sub>16</sub> "	.083"	1.089	.083"	1.367
		.095"	1.235	.095"	1.552
.109"		1.400	.109"	1.765	



# Tubular Steel Inc.

## ROUND ELECTRIC WELDED TUBING

ROUND ELECTRIC WELDED TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.
1 <sup>5</sup> / <sub>8</sub> " (cont.)	.120"	1.929	1 <sup>7</sup> / <sub>8</sub> " (cont.)	.188"	3.387
	.134"	2.134		1.900" (1 <sup>1</sup> / <sub>2</sub> " Pipe Size)	.065"
	.156"	2.447	.083"		1.611
	.188"	2.885	.095"		1.831
1.660" (1 <sup>1</sup> / <sub>4</sub> " Pipe Size)	.065"	1.107	.109"		2.085
	.083"	1.398	.120"	2.281	
	.095"	1.588	.134"	2.527	
	.109"	1.806	2"	.035"	0.735
	.120"	1.974		.049"	1.021
.134"	2.184	.065"		1.343	
1 <sup>11</sup> / <sub>16</sub> "	.049"	0.858		.083"	1.699
	.065"	1.127	.095"	1.933	
	.120"	2.010	.109"	2.201	
1 <sup>3</sup> / <sub>4</sub> "	.035"	0.641	.120"	2.409	
	.049"	0.890	.134"	2.670	
	.065"	1.170	.148"	2.927	
	.072"	1.290	.156"	3.072	
	.083"	1.478	.165"	3.234	
	.095"	1.679	.188"	3.638	
	.109"	1.910	2 <sup>1</sup> / <sub>8</sub> "	.049"	1.086
	.120"	2.089		.065"	1.430
	.134"	2.313		.083"	1.810
	.148"	2.532		.095"	2.060
	.156"	2.656	.109"	2.347	
	.165"	2.793	.120"	2.570	
	.188"	3.136	.134"	2.849	
1 <sup>13</sup> / <sub>16</sub> "	.035"	0.664	.148"	3.125	
	.049"	0.923	.188"	3.889	
	.065"	1.213	2 <sup>3</sup> / <sub>16</sub> "	.049"	1.119
	.083"	1.533		.095"	2.123
.120"	2.168	.109"		2.420	
1 <sup>7</sup> / <sub>8</sub> "	.035"	0.688	.120"	2.650	
	.049"	0.956	.156"	3.385	
	.065"	1.257	2 <sup>1</sup> / <sub>4</sub> "	.035"	0.828
	.083"	1.589		.049"	1.152
	.095"	1.806		.065"	1.517
	.109"	2.056		.072"	1.675
	.120"	2.249	.083"	1.921	
	.134"	2.492	.095"	2.186	
	.165"	3.013	.109"	2.492	



### ROUND ELECTRIC WELDED TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.
<b>2 1/4" (cont.)</b>	.120"	2.730	<b>2 5/8" (cont.)</b>	.083"	2.253
	.134"	3.028		.095"	2.567
	.148"	3.323		.109"	2.929
	.165"	3.674		.120"	3.210
	.188"	4.140		.134"	3.565
	.250"	4.672		.188"	4.893
<b>2 5/16"</b>	.083"	1.977	<b>2 3/4"</b>	.049"	1.413
	.095"	2.250		.065"	1.864
	.165"	3.785		.083"	2.364
	.188"	4.265		.095"	2.694
<b>2 3/8" (2" Pipe Size)</b>	.049"	1.217	.109"	3.074	
	.065"	1.604	.120"	3.371	
	.072"	1.771	.134"	3.744	
	.083"	2.032	.148"	4.113	
	.095"	2.313	.156"	4.322	
	.109"	2.638	.188"	5.144	
	.120"	2.890	.250"	6.675	
	.134"	3.207	<b>2 7/8" (2 1/2" Pipe Size)</b>	.065"	1.951
	.148"	3.520		.083"	2.475
	.165"	3.894		.095"	2.821
	.188"	4.391		.109"	3.220
	<b>2 1/2"</b>	.049"		1.283	.120"
.065"		1.690		.165"	4.776
.072"		1.867	.188"	5.390	
.083"		2.143	.203"	5.793	
.095"		2.440	.220"	6.238	
.109"		2.783	<b>3"</b>	.049"	1.544
.120"		3.050		.065"	2.037
.134"		3.386		.072"	2.252
.148"		3.718		.083"	2.586
.165"		4.115		.095"	2.947
.188"		4.642		.109"	3.365
.203"		4.980	.120"	3.691	
.220"	5.357	.134"	4.102		
.238"	5.750	.148"	4.508		
.250"	6.008	.156"	4.738		
<b>2 9/16"</b>	.065"	1.734	.165"	4.996	
	.083"	2.198	.188"	5.646	
	.165"	4.226	.203"	6.064	
	.188"	4.769	.220"	6.532	
<b>2 5/8"</b>	.065"	1.777	.238"	7.021	



# Tubular Steel Inc.

## ROUND ELECTRIC WELDED TUBING

ROUND ELECTRIC WELDED TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.	
3" (cont.)	.250"	7.343	3 <sup>3</sup> / <sub>4</sub> " (cont.)	.083"	3.251	
	.281"	8.160		.120"	4.652	
3 <sup>1</sup> / <sub>8</sub> "	.065"	2.124	3 <sup>7</sup> / <sub>8</sub> "	.134"	5.175	
	.083"	2.697		.188"	7.152	
	.095"	3.074		.238"	8.927	
	.134"	4.280		4" (3 <sup>1</sup> / <sub>2</sub> " Pipe Size)	.065"	2.732
	.188"	5.897			.083"	3.472
3 <sup>1</sup> / <sub>4</sub> "	.065"	2.211	.095"	3.9/62		
	.083"	2.807	.109"	4.530		
	.095"	3.201	.120"	4.973		
	.120"	4.011	.134"	5.533		
	.134"	4.459	.148"	6.089		
	.148"	4.903	.165"	6.758		
	.165"	5.436	.188"	7.654		
	.188"	6.148	.203"	8.232		
3 <sup>3</sup> / <sub>8</sub> "	.250"	8.010	.220"	8.881		
	.065"	2.298	.238"	9.562		
	.125"	4.339	.250"	10.013		
	.134"	4.638	.281"	11.161		
3 <sup>1</sup> / <sub>2</sub> " (3" Pipe Size)	.188"	6.399	.375"	14.520		
	.065"	2.385	4 <sup>1</sup> / <sub>4</sub> "	.120"	5.293	
	.072"	2.636		.148"	6.484	
	.083"	3.029		.188"	8.156	
	.095"	3.455	4 <sup>3</sup> / <sub>8</sub> "	.250"	10.680	
	.109"	3.948		.312"	13.122	
	.120"	4.332		.188"	8.407	
	.134"	4.817		.203"	9.045	
	.148"	5.298	4 <sup>1</sup> / <sub>2</sub> " (4" Pipe Size)	.065"	3.079	
	.165"	5.877		.083"	3.915	
	.180"	6.382		.095"	4.469	
	.203"	7.148		.109"	5.12	
	.220"	7.707		.120"	5.613	
.238"	8.291	.134"		6.248		
.250"	8.678	.148"		6.879		
.300"	10.253	.165"	7.639			
3 <sup>5</sup> / <sub>8</sub> "	.375"	12.520	.180"	8.305		
	.120"	4.492	.203"	9.316		
	.188"	7.001	.220"	10.056		
3 <sup>3</sup> / <sub>4</sub> "	.203"	7.419	.238"	10.833		
	.250"	9.011				
	.065"	2.558				



### ROUND ELECTRIC WELDED TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.	
4½" (cont.)	.250"	11.348	6⅝" (6" Pipe Size)	.083"	5.799	
4¾"	.250"	12.015		.109"	7.585	
5" (4½" Pipe Size)	.065"	3.426	7"	.065"	4.814	
	.083"	4.359		.083"	6.132	
	.095"	4.977		.109"	8.022	
	.109"	5.694		.134"	9.826	
	.120"	6.254		.188"	13.677	
	.134"	6.964	7½"	.250"	19.358	
	.148"	7.669		.375"	28.536	
	.165"	8.520		.500"	38.380	
	.188"	9.662	8"	.065"	5.508	
	.203"	10.400		.083"	7.018	
	.238"	12.104		.109"	9.186	
	.250"	12.683		.134"	11.257	
	.281"	14.162		.188"	15.685	
	.300"	15.059		.219"	18.199	
5½"	.375"	18.523	8⅝" (8" Pipe Size)	.109"	9.914	
	.500"	24.000		.134"	12.152	
	6"	.065"	3.773		.188"	16.940
		.120"	6.895	10"	.083"	8.791
		.134"	7.679		.109"	11.514
		.188"	10.667		.134"	14.119
		.220"	12.406		.188"	19.701
.250"		14.018		.250"	26.033	
.375"	20.526	10¾" (10" Pipe Size)	.109"	12.387		
.500"	26.700		.134"	15.193		
6"	.065"	4.120		.188"	21.207	
	.083"	5.245	12"	.109"	13.843	
	.109"	6.858		.134"	16.982	
	.120"	7.563		.188"	23.717	
	.134"	8.395		.250"	31.373	
	.148"	9.250	12¾" (12" Pipe Size)	.109"	14.716	
	.156"	9.737		.134"	18.055	
	.165"	10.282		.188"	25.222	
	.188"	11.667	14"	.109"	16.171	
	.220"	13.581		.134"	19.844	
.238"	14.646		.188"	27.732		
.250"	15.353	16"	.109"	18.162		
.375"	22.528		.134"	22.706		
.500"	29.400		.188"	31.748		