



# Tubular Steel Inc.

## STAINLESS STEEL PRODUCTS

Pipe . . . . .	Pg 53
Cold Drawn Seamless Tubing . . . . .	Pg 55
Seamless Tubing . . . . .	Pg 56
Welded Tubing . . . . .	Pg 58
Welded Ornamental Tubing . . . . .	Pg 59
Square Rectangular Tubing . . . . .	Pg 60
Pump Shaft Quality Bars . . . . .	Pg 62
Round Bars . . . . .	Pg 62
Hexagon Bars . . . . .	Pg 63

## SPECIFICATIONS

* ASTM A182	ASTM A580
* ASTM A193	ASTM A581
* ASTM A194	ASTM A582
* ASTM A213	ASTM A778
* ASTM A249	AMS-5613
ASTM A269	AMS-5639
ASTM A276	AMS-5640
* ASTM A312	AMS-5647
ASTM A314	AMS-5648
* ASTM A320	AMS-5653
ASTM A358	QQS-763
* ASTM A479	QQS-764
* ASTM A484	MILS-862
ASTM A511	MILS-7720
ASTM A554	MILP-26491/3
* ASTM A564	NACE MR-01-75

\* Also ASME

## BAR (Round, Squares, Hexes)

### SIZE RANGE:

Rounds: 1/4" thru 16"

Squares and Hexes: 1/4" thru 2"

### SURFACE CONDITIONS:

Smooth Turned

Rough Turned

Centerless Ground

## PUMPSHAFT QUALITY BAR (316 & 416)

### POLISHES:

180 Grit      320 Grit

240 Grit      400 Grit

Polished and Buffed

### GRADES:

303	310	347
304	310H	630 (17-4)
304L	316	409
304H	316L	410
309	316H	416
309H	321	



## WELDED AND SEAMLESS PIPE

### SIZE RANGE:

1/2" thru 24" O.D.

Schedules 5s thru XXH

## WELDED TUBE

### SIZE RANGE:

1/4" thru 12" O.D.

24 ga. thru 0.250" wall

## SEAMLESS TUBE

### SIZE RANGE:

Up to 16" O.D.

18 ga. thru 1.500" wall

## CENTRIFUGAL CAST TUBING

## ORNAMENTAL & STRUCTURAL TUBING

Square, Rectangular and Round Tubing



### STAINLESS STEEL PIPE

SIZE	O.D.	WALL	SCHED.	WT./FT.	SIZE	O.D.	WALL	SCHED.	WT./FT.
<b>1/8"</b>	<b>.405"</b>	.049"	10	.19	<b>2" (cont.)</b>	<b>2.375"</b>	.109"	10	2.64
		.068"	40	.24			.154"	40	3.65
		.095"	80	.31			.218"	80	5.02
<b>1/4"</b>	<b>.540"</b>	.065"	10	.33			.344"	160	7.46
		.088"	40	.42			.436"	XXS	9.03
		.119"	80	.54	<b>2 1/2"</b>	<b>2.875"</b>	.083"	5	2.48
<b>3/8"</b>	<b>.675"</b>	.065"	10	.42			.203"	40	5.79
		.091"	40	.57			.276"	80	7.66
		.126"	80	.73			.375"	160	10.01
<b>1/2"</b>	<b>.840"</b>	.065"	5	.54			.552"	XXS	13.69
		.083"	10	.67	<b>3"</b>	<b>3.500"</b>	.120"	10	4.33
		.109"	40	.85			.216"	40	7.58
		.147"	80	1.09			.300"	80	10.25
		.188"	160	1.31			.438"	160	14.32
<b>3/4"</b>	<b>1.050"</b>	.065"	5	.68			.600"	XXS	18.58
		.083"	10	.86	<b>3 1/2"</b>	<b>4.000"</b>	.226"	40	9.11
		.113"	40	1.13			.318"	80	12.50
		.154"	80	1.47			.636"	XXS	22.85
		.219"	160	1.94	<b>4"</b>	<b>4.500"</b>	.120"	10	5.61
		.308"	XXS	2.44			.237"	40	10.79
<b>1"</b>	<b>1.315"</b>	.065"	5	.87			.337"	80	14.98
		.109"	10	1.40			.438"	120	19.00
		.133"	40	1.68			.531"	160	22.51
		.179"	80	2.17			.674"	XXS	27.54
		.250"	160	2.84	<b>5"</b>	<b>5.563"</b>	.258"	40	14.62
		.358"	XXS	3.66			.375"	80	20.78
<b>1 1/4"</b>	<b>1.660"</b>	.065"	5	1.11			.500"	120	27.04
		.140"	40	2.27			.625"	160	32.96
		.191"	80	3.00	<b>6"</b>	<b>6.625"</b>	.134"	10	9.29
		.250"	160	3.76			.280"	40	18.97
		.382"	XXS	5.21			.432"	80	28.57
<b>1 1/2"</b>	<b>1.900"</b>	.065"	5	1.27			.562"	120	36.39
		.109"	10	2.08			.719"	160	45.35
		.145"	40	2.72	<b>8"</b>	<b>8.625"</b>	.148"	10	13.40
		.200"	80	3.63			.322"	40	28.55
		.281"	160	4.86			.500"	80	43.39
		.400"	XXS	6.41			.906"	160	74.69
<b>2"</b>	<b>2.375"</b>	.065"	5	1.60					



# Tubular Steel Inc.

## STAINLESS STEEL PIPE

STAINLESS STEEL PRODUCTS

SIZE	O.D.	WALL	SCHED.	WT./FT.	SIZE	O.D.	WALL	SCHED.	WT./FT.
10"	10.750"	.134"	5	15.19	16"	16.000"	.188"	10S	31.75
		.165"	10	18.70			.250"	10	42.05
		.365"	40	48.48			.375"	40S	62.58
		.500"	80	54.74			.500"	80S	82.77
		.719"	100	76.93	18"	18.000"	.188"	10S	35.76
		.844"	120	89.20			.250"	10	47.39
		1.000"	140	104.10			.375"	40S	70.59
12"	12.750"	.165"	5	22.18			.500"	80S	93.45
		.180"	10	24.20	20"	20.000"	.218"	10S	46.05
		.375"	40S	49.56			.250"	10	52.73
.500"	80S	65.42	.375"	40S			78.60		
14"	14.000"	.188"	10S	27.73			.500"	80S	104.10
		.250"	10	36.71	24"	24.000"	.250"	10	63.41
		.375"	40S	54.57			.375"	40S	94.62
		.500"	80S	72.09			.500"	80S	125.50



### COLD DRAWN SEAMLESS STAINLESS TUBING

O.D.	WALL	I.D.	WT./FT.	O.D.	WALL	I.D.	WT./FT.
.500"	.020"	.460"	.103	1.000"	.035"	.930"	.361
	.028"	.444"	.141		.049"	.902"	.498
	.035"	.430"	.174		.065"	.870"	.649
	.049"	.402"	.236		.083"	.834"	.813
	.065"	.370"	.302		.095"	.810"	.918
	.083"	.334"	.370		.109"	.782"	1.037
	.095"	.310"	.411		.120"	.760"	1.128
	.120"	.260"	.487		1.125"	.065"	.995"
.625"	.035"	.555"	.221	1.250"	.035"	1.180"	.454
	.049"	.527"	.301	.049"	1.152"	.629	
	.065"	.495"	.389	.065"	1.120"	.823	
	.083"	.459"	.481	.083"	1.084"	1.034	
	.095"	.435"	.538	.095"	1.060"	1.172	
	.120"	.385"	.647	.120"	1.010"	1.448	
.750"	.035"	.680"	.267	1.500"	.049"	1.402"	.759
	.049"	.652"	.367	.065"	1.370"	.996	
	.065"	.620"	.476	.083"	1.334"	1.256	
	.083"	.584"	.591	.095"	1.310"	1.426	
	.095"	.560"	.665	.125"	1.260"	1.769	
	.109"	.532"	.746	1.750"	.120"	1.510"	2.089
	.120"	.510"	.807	2.000"	.049"	1.902"	1.010
	.188"	.375"	1.128	.065"	1.870"	1.343	
.875"	.049"	.777"	.432	.083"	1.834"	1.699	
	.065"	.745"	.562	.095"	1.810"	1.933	
	.083"	.709"	.702	.125"	1.750"	2.503	



# Tubular Steel Inc.

## SEAMLESS STAINLESS TUBING

STAINLESS STEEL PRODUCTS

O.D.	WALL	I.D.	WT./FT.	O.D.	WALL	I.D.	WT./FT.
1.000"	.250"	.500"	2.003	3.000" (cont.)	.688"	1.625"	16.988
1.125"	.188"	.749"	1.881		.750"	1.500"	18.000
	.250"	.625"	2.336	3.125"	.250"	2.625"	7.676
1.250"	.188"	.874"	2.132		.375"	2.375"	11.010
	.250"	.750"	2.670	3.250"	.188"	2.874"	6.148
	.375"	.500"	3.504		.250"	2.750"	8.010
1.500"	.188"	1.124"	2.634		.375"	2.500"	11.514
	.250"	1.000"	3.338		.500"	2.250"	14.685
	.375"	.750"	4.506		.750"	1.750"	20.000
1.625"	.188"	1.249"	2.885	3.500"	.250"	3.000"	8.678
	.250"	1.125"	3.671		.375"	2.750"	12.516
	.375"	.875"	5.006		.500"	2.500"	16.020
1.750"	.188"	1.374"	3.136		.750"	2.000"	22.000
	.375"	1.000"	5.507		1.000"	1.500"	26.700
1.875"	.188"	1.499"	3.387	3.625"	.188"	3.249"	6.901
	.250"	1.375"	4.339		.250"	3.125"	9.011
	.375"	1.125"	6.008		.375"	2.875"	13.016
2.000"	.188"	1.624"	3.638	3.750"	.250"	3.250"	9.345
	.250"	1.500"	4.673		.375"	3.000"	13.517
	.375"	1.250"	6.503		.500"	2.750"	17.355
	.500"	1.000"	8.010		.750"	2.250"	24.030
2.125"	.250"	1.625"	5.006		1.000"	1.750"	29.370
	.375"	1.375"	7.010	4.000"	.250"	3.500"	10.013
2.250"	.250"	1.750"	5.340		.375"	3.250"	14.518
	.375"	1.500"	7.509		.500"	3.000"	18.690
	.500"	1.250"	9.345		.750"	2.500"	26.000
2.375"	.188"	1.999"	4.391		1.000"	2.000"	32.000
	.250"	1.875"	5.674	4.125"	.250"	3.625"	10.346
2.500"	.188"	2.124"	4.642		.500"	3.125"	19.360
	.250"	2.000"	6.008	4.250"	.188"	3.874"	8.156
	.375"	1.750"	8.511		.250"	3.750"	10.680
	.500"	1.500"	10.680		.375"	3.500"	15.519
2.750"	.188"	2.374"	5.144		.500"	3.250"	20.025
	.250"	2.250"	6.675		.750"	2.750"	28.000
	.375"	2.000"	9.512	4.500"	.250"	4.000"	11.348
	.500"	1.750"	12.015		.500"	3.500"	21.360
3.000"	.188"	2.624"	5.646		.750"	3.000"	30.000
	.250"	2.500"	7.343		1.000"	2.500"	37.400
	.375"	2.250"	10.513	4.750"	.188"	4.374"	9.160
	.500"	2.000"	13.350		.250"	4.250"	12.015



### SEAMLESS STAINLESS TUBING

O.D.	WALL	I.D.	WT./FT.	O.D.	WALL	I.D.	WT./FT.
4.750" (cont.)	.500"	3.750"	22.695	7.000" (cont.)	.750"	5.500"	50.063
	.750"	3.250"	32.000		1.000"	5.000"	64.100
	1.000"	2.750"	40.100	7.500"	.375"	6.750"	28.536
5.000"	.250"	4.500"	12.683		.500"	6.500"	37.380
	.375"	4.250"	18.523		.750"	6.000"	54.068
	.500"	4.000"	24.030	1.000"	5.500"	69.400	
	1.000"	3.000"	42.700	8.000"	.250"	7.500"	20.693
5.250"	.250"	4.750"	13.350		.500"	7.000"	40.050
	.500"	4.250"	25.365		.750"	6.500"	58.070
5.500"	.250"	5.000"	14.018	1.000"	6.000"	74.800	
	.375"	4.750"	20.526	8.500"	.250"	8.000"	22.028
	.500"	4.500"	26.700		.375"	7.750"	32.541
	.750"	4.000"	38.048		.500"	7.500"	42.720
1.000"	3.500"	48.060	.750"		7.000"	62.078	
5.750"	.250"	5.250"	14.685	1.000"	6.500"	80.100	
	.500"	4.750"	28.035	9.000"	.500"	8.000"	45.390
	1.000"	3.750"	50.700		1.000"	7.000"	85.400
6.000"	.250"	5.500"	15.353	9.500"	.500"	8.500"	48.060
	.375"	5.250"	22.528		1.000"	7.500"	90.800
	.500"	5.000"	29.370	10.000"	.500"	9.000"	50.730
	.750"	4.500"	42.053		1.000"	8.000"	96.100
	1.000"	4.000"	53.400		12.000"	.500"	11.000"
6.500"	.250"	6.000"	16.688	1.000"		10.000"	117.500
	.500"	5.500"	32.040	14.000"	.500"	13.000"	72.100
	.750"	5.000"	46.058		1.000"	12.000"	138.840
	1.000"	4.500"	58.700	16.000"	.500"	15.000"	82.800
7.000"	.375"	6.250"	26.533		1.000"	14.000"	160.200
	.500"	6.000"	34.710				



# Tubular Steel Inc.

## WELDED STAINLESS TUBING

STAINLESS STEEL PRODUCTS

O.D.	WALL	I.D.	WT./FT.	O.D.	WALL	I.D.	WT./FT.	
.500"	.035"	.430"	0.174	2.000"	.035"	1.930"	0.735	
	.049"	.402"	0.236		.049"	1.902"	1.021	
	.065"	.370"	0.302		.065"	1.870"	1.343	
.625"	.035"	.555"	0.221	2.125"	.083"	1.834"	1.699	
	.049"	.527"	0.301		.120"	1.760"	2.409	
	.065"	.495"	0.389		.049"	2.027"	1.086	
.750"	.035"	.680"	0.267	2.250"	.065"	1.995"	1.430	
	.049"	.652"	0.367		.083"	1.959"	1.810	
	.065"	.620"	0.476		.120"	1.885"	2.570	
	.083"	.548"	0.591	2.500"	.065"	2.120"	1.517	
	.120"	.510"	0.807		.083"	2.084"	1.921	
.875"	.035"	.805"	0.314	2.750"	.120"	2.010"	2.730	
	.049"	.777"	0.432		2.500"	.065"	2.370"	1.690
	.065"	.745"	0.562			.083"	2.334"	2.143
	.120"	.635"	0.968	.120"	2.260"	3.050		
1.000"	.035"	.930"	0.361	3.000"	.065"	2.620"	1.864	
	.049"	.902"	0.498		.083"	2.584"	2.364	
	.065"	.870"	0.649		.120"	2.510"	3.371	
	.083"	.834"	0.813	3.250"	.049"	2.902"	1.544	
	.095"	.810"	0.918		.065"	2.870"	2.037	
	.120"	.760"	1.128		.083"	2.834"	2.586	
1.125"	.065"	.995"	0.736	.120"	2.760"	3.691		
	.120"	1.005"	1.288	3.500"	.065"	3.120"	2.211	
1.250"	.049"	1.152"	0.629		.083"	3.084"	2.807	
	.065"	1.120"	0.823		.120"	3.010"	4.011	
	.083"	1.084"	1.034	4.000"	.065"	3.370"	2.385	
	.120"	1.010"	1.448		.120"	3.260"	4.332	
1.312"	.065"	1.182"	0.866	4.250"	.065"	3.870"	2.732	
	.083"	1.146"	1.089		.083"	3.834"	3.472	
1.375"	.049"	1.277"	0.694		.120"	3.760"	4.973	
	.065"	1.245"	0.909	4.500"	.120"	4.010"	5.293	
	.120"	1.135"	1.608		.065"	4.370"	3.079	
1.500"	.049"	1.402"	0.769	.083"	4.334"	3.915		
	.065"	1.370"	0.996	.120"	4.260"	5.613		
	.083"	1.334"	1.256	4.750"	.120"	4.510"	5.930	
	.120"	1.260"	1.769		.065"	4.870"	3.426	
1.750"	.035"	1.680"	0.641	.083"	4.834"	4.359		
	.065"	1.620"	1.170	.095"	4.810"	4.977		
	.083"	1.584"	1.478	.120"	4.760"	6.254		
	.120"	1.510"	2.089	.188"	4.625"	9.662		
	1.875"	.049"	1.777"	0.956	6.000"	.065"	5.870"	4.120
.065"		1.745"	1.257	.083"		5.834"	5.245	
.120"		1.635"	2.249	.120"		5.760"	7.563	
				8.000"	.120"	7.760"	10.099	



## WELDED ROUND STAINLESS TUBING ORNAMENTAL GRADE MILL FINISH & POLISHED

STAINLESS STEEL PRODUCTS

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.
.625"	.035"	0.221	2.000" (cont.)	.065"	1.343
	.065"	0.389		.083"	1.699
.750"	.065"	0.476	2.250"	.120"	2.409
	.109"	0.746		.035"	0.828
1.000"	.049"	0.498	2.500"	.049"	1.152
	.065"	0.649		.065"	1.517
	.083"	0.813		.072"	1.675
	.120"	1.128		.049"	1.283
1.250"	.049"	0.629	3.000"	.065"	1.690
	.065"	0.823		.083"	2.143
	.083"	1.034		.120"	3.050
	.120"	1.448		.065"	2.037
1.312"	.065"	0.866	3.500"	.083"	2.586
	.083"	1.089		.120"	3.691
1.500"	.035"	0.548	4.000"	.065"	2.385
	.065"	0.996		.083"	3.029
	.083"	1.256		.120"	4.332
	.120"	1.769		.083"	3.472
1.625"	.065"	1.083	4.500"	.120"	4.973
1.750"	.065"	1.170		.083"	3.915
1.875"	.120"	2.089	5.000"	.120"	5.613
	.049"	0.956		.083"	4.359
2.000"	.035"	0.735		.120"	6.254
	.049"	1.021			





# Tubular Steel Inc.

## WELDED SQUARE AND RECTANGULAR STAINLESS TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.
<b>SQUARES</b>			<b>RECTANGULARS</b>		
<b>3/4" x 3/4"</b>	.035"	.265	<b>8" x 8"</b>	.180"	19.630
	.049"	.467		.250"	25.820
	.065"	.605		.375"	37.690
	.083"	.753		.500"	48.850
	.120"	1.028	<b>10" x 10"</b>	.180"	24.039
<b>1" x 1"</b>	.049"	.634		.250"	32.630
	.065"	.827		.375"	47.900
	.083"	1.035		.500"	62.460
	.120"	1.436	<b>RECTANGULARS</b>		
<b>1 1/4" x 1 1/4"</b>	.065"	1.047	<b>3/4" x 1/2"</b>	.049"	.386
	.083"	1.317		.065"	.498
	.120"	1.844	<b>1" x 1/2"</b>	.035"	.342
<b>1 1/2" x 1 1/2"</b>	.065"	1.268		.049"	.469
	.083"	1.599		.065"	.606
	.120"	2.252	<b>1" x 3/4"</b>	.035"	.402
	.180"	3.231		.049"	.553
<b>1 3/4" x 1 3/4"</b>	.120"	2.660		.065"	.716
<b>2" x 2"</b>	.065"	1.710	<b>1 1/2" x 1/2"</b>	.049"	.637
	.083"	2.164		.065"	.831
	.120"	3.120	<b>1 1/2" x 3/4"</b>	.049"	.721
	.180"	4.136		.065"	.942
	.250"	5.410		.083"	1.183
<b>2 1/2" x 2 1/2"</b>	.083"	2.728	<b>1 1/2" x 1"</b>	.049"	.805
	.120"	3.980		.065"	1.048
	.180"	5.352		.083"	1.317
	.250"	7.110		.120"	1.844
<b>3" x 3"</b>	.083"	3.292	<b>1 3/4" x 1 1/4"</b>	.065"	1.276
	.109"	4.250		.083"	1.609
	.180"	6.578	<b>2" x 1"</b>	.049"	.972
	.250"	8.810		.065"	1.268
<b>4" x 4"</b>	.120"	6.530		.083"	1.599
	.180"	9.351		.120"	2.252
	.250"	12.210	<b>2" x 1 1/2"</b>	.065"	1.499
<b>5" x 5"</b>	.180"	11.869		.083"	1.882
	.250"	15.620		.120"	2.660
	.375"	22.370	<b>2 1/2" x 1"</b>	.065"	1.498
<b>6" x 6"</b>	.180"	14.247		.083"	1.892
	.250"	19.020		.120"	2.675
	.375"	27.480	<b>2 1/2" x 1 1/2"</b>	.065"	1.720
	.500"	35.240		.083"	2.164



### WELDED SQUARE AND RECTANGULAR STAINLESS TUBING

O.D.	WALL	WT./FT.	O.D.	WALL	WT./FT.
2 1/2" x 1 1/2" (cont.)	.120"	3.068	6" x 3" (cont.)	.250"	13.910
3" x 1"	.065"	1.710		.375"	19.821
	.083"	2.164	6" x 4"	.180"	11.869
	.120"	3.120		.250"	15.620
3" x 1 1/2"	.065"	1.940		.375"	22.370
	.083"	2.445	8" x 2"	.120"	8.011
	.120"	3.476		.180"	11.869
	.180"	5.097		.250"	15.620
3" x 1 3/4"	.065"	2.054		.375"	22.370
	.083"	2.602	8" x 3"	.180"	13.100
	.120"	3.701		.250"	17.320
	.180"	5.404		.375"	24.930
3" x 2"	.083"	2.744	8" x 4"	.180"	14.247
	.120"	3.980		.250"	19.020
	.180"	5.352		.375"	27.480
	.250"	7.110	8" x 6"	.180"	16.793
4" x 2"	.083"	3.292		.250"	22.420
	.120"	4.830		.375"	32.580
	.180"	6.944		.500"	42.050
	.250"	8.810	10" x 2"	.180"	14.247
4" x 3"	.120"	5.680		.250"	19.020
	.180"	8.175		.375"	27.480
	.250"	10.510	10" x 4"	.180"	16.793
	.375"	14.717		.250"	22.420
5" x 2"	.120"	5.680		.375"	32.580
	.180"	8.175	10" x 6"	.250"	25.820
	.250"	10.510		.375"	37.690
5" x 3"	.120"	6.530		.500"	48.850
	.180"	9.351	12" x 4"	.180"	19.630
	.250"	12.210		.250"	25.820
	.375"	17.270		.375"	37.690
6" x 2"	.120"	6.530	12" x 6"	.250"	29.230
	.180"	9.351		.375"	42.790
	.250"	12.210		.500"	55.660
6" x 3"	.180"	10.637			



# Tubular Steel Inc.

## STAINLESS STEEL PUMP SHAFT QUALITY BARS

SIZE	WT./FT.	SIZE	WT./FT.	SIZE	WT./FT.
3/4"	1.502	1 7/16"	5.518	2 1/4"	13.52
13/16"	1.763	1 1/2"	6.008	2 7/16"	15.87
1 5/16"	2.347	1 5/8"	7.052	2 1/2"	16.69
<b>1"</b>	<b>2.670</b>	1 11/16"	7.604	2 11/16"	19.29
1 1/8"	3.380	1 3/4"	8.178	2 15/16"	23.04
1 3/16"	3.766	1 15/16"	10.020	<b>3"</b>	<b>24.03</b>
1 1/4"	4.173	<b>2"</b>	<b>10.680</b>	3 7/16"	31.55
1 3/8"	5.049	2 3/16"	12.780		

## STAINLESS STEEL BARS ROUND

SIZE	WT./FT.	SIZE	WT./FT.	SIZE	WT./FT.
3/8"	.376	1 15/16"	10.02	<b>5"</b>	<b>66.76</b>
7/16"	.511	<b>2"</b>	<b>10.68</b>	5 1/2"	80.78
1/2"	.677	2 1/8"	12.06	5 3/4"	88.29
9/16"	.845	2 3/16"	12.78	<b>6"</b>	<b>96.13</b>
5/8"	1.043	2 1/4"	13.52	6 1/4"	104.30
3/4"	1.502	2 3/8"	15.06	6 1/2"	112.80
13/16"	1.763	2 7/16"	15.87	6 3/4"	121.70
7/8"	2.045	2 1/2"	16.69	<b>7"</b>	<b>130.80</b>
<b>1"</b>	<b>2.670</b>	2 5/8"	18.40	7 1/2"	150.20
1 1/16"	3.015	2 3/4"	20.19	<b>8"</b>	<b>170.90</b>
1 1/8"	3.380	2 7/8"	22.07	8 1/2"	192.90
1 3/16"	3.766	<b>3"</b>	<b>24.03</b>	<b>9"</b>	<b>216.30</b>
1 1/4"	4.173	3 1/8"	26.08	9 1/2"	241.00
1 5/16"	4.600	3 1/4"	28.21	<b>10"</b>	<b>267.00</b>
1 3/8"	5.049	3 3/8"	30.42	10 1/2"	294.40
1 7/16"	5.518	3 1/2"	32.71	<b>11"</b>	<b>323.00</b>
1 1/2"	6.008	3 5/8"	35.09	11 1/2"	353.20
1 5/8"	7.052	3 3/4"	37.55	<b>12"</b>	<b>384.50</b>
1 11/16"	7.604	<b>4"</b>	<b>42.73</b>	12 1/2"	417.20
1 3/4"	8.178	4 1/4"	48.23	<b>14"</b>	<b>523.40</b>
1 13/16"	8.773	4 1/2"	54.08	<b>15"</b>	<b>600.80</b>
1 7/8"	9.388	4 3/4"	60.25	<b>16"</b>	<b>683.52</b>

STAINLESS STEEL PRODUCTS



## STAINLESS STEEL BARS HEXAGON

SIZE	WT./FT.	SIZE	WT./FT.	SIZE	WT./FT.
9/16"	.932	1 1/8"	3.727	2"	11.780
1 1/16"	1.392	1 1/4"	4.601	2 1/4"	14.910
3/4"	1.656	1 3/8"	5.567	2 1/2"	18.400
7/8"	2.254	1 1/2"	6.625	3"	26.500
1"	2.944	1 3/4"	9.017	3 1/2"	36.070